



INTERNATIONAL AWARD WINNING

Marine Winches & Accessories



PRODUCT CATALOGUE | 2026

TABLE OF

Contents

About Savwinch	3	Slider Anchors	14
New Releases	4	Claw Slider Anchors	15
Drum Anchor Winches	5	Plough Anchors	16
SSS Series	6	Deck Wash Pump	17
SS Series	7	Bowsprits	18
CS Series	8	Winch Haulers	19
Commercial Series	9	Marine Accessories	20
Winch Accessories	11	Rope & Chain Guide	21
Pot Haulers	12	Merchandise	22
Digital Winch Counter	13	Locations	23



YOUR ONE-STOP-SHOP

For Drum Anchor Winches and Marine Accessories.

Savwinch is an Australian marine manufacturer specialising in high-performance anchor winches and accessories. What began as a family business has grown into a globally distributed brand trusted by leading boat builders and marine retailers around the world.

Built on patented design and continuous research and development, Savwinch delivers durable, reliable solutions for demanding marine conditions. With multiple winch ranges, evolving product innovation, and thousands of installations worldwide, the brand has earned a strong reputation for quality, performance, and customer support.



INTERNATIONAL AWARD WINNING DRUM WINCHES



SCAN TO WATCH

Open on your phone

Our international award winning Drum Winches feature oversized Worm Drive Gearboxes, specifically designed marine grade patented motors which are IP68 rated to suit even the harshest marine environments.

The motors can be moved into 12 different positions to ensure that each Drum Winch can be installed on almost any vessel. Paired with our EFF Electronic Fast Fall System our Drum Winches can reach speeds of over 100m per minute (almost as fast as you can drop your anchor).

All three of our Drum Winch ranges, feature identical power and performance in their respective sizes. For example the 1000CS, 1000SS, and 1000SSS perform identically.



NEW PRODUCTS

At Savwinch, we keep doing what we've done from day one: building marine tools and accessories that didn't exist before we made them. We've never stopped pushing forward. Every year, more goes into the materials, the engineering, and the components, all of it sharper, tougher, and more refined than the version before it. Same Australian design philosophy, just better every time.

Check out our new products and keep watching this space for more.



The Savwinch Deck Wash Pump is a world-first, built from 316 stainless steel to resist corrosion and perform in harsh marine conditions.

Delivers strong, consistent pressure for a proper clean after every trip, with a premium finish designed to last and be seen.

DECK WASH PUMP



Digital Winch Counter that removes the guesswork from anchoring, with a real-time display of rope and chain deployed.

Universal retrofit for Savwinch Drum Winches and compatible with all major brands. Features auto-retrieve, HD colour screen, and a fully customisable interface.

DIGITAL WINCH COUNTER



Effortless boat launching and retrieval with an IP68 sealed motor, high-torque gearbox, and precision control. Built for steep ramps and heavy loads. Includes HMPE rope and a full control system.

Available in CS, SS, and SSS finishes.

WINCH HAULERS



MULTI AWARD WINNING ELECTRIC DRUM WINCHES

Australian designed, owned and engineered electric Drum Winches built for reliability, durability, and real-world marine conditions.

Trusted by recreational boaters, commercial operators, and charter fleets worldwide.

STAINLESS STEEL SERIES

The Ultimate in Marine
Engineering



SIGNATURE SERIES

The Premium Choice



CLASSIC SERIES

The Industry Standard



Stainless Steel Series (SSS)

DELUXE RANGE

The Stainless Steel Series (SSS) is our top of the line Drum Winch and is the world's first and only complete 316 Stainless Steel Winch.

Machined to fine tolerances and utilising O ring seals, the SSS range motors are completely submersible without the use of sealants or glues. Water ingress or corrosion is no longer a concern.



SSS SERIES FEATURES

The Stainless Steel Series is the Rolls Royce of drum winches. It represents the highest standard we can offer, built without compromise.

Every critical component is manufactured from 316 stainless steel, including the motor, gearbox, and drum.

It is IP68 rated and engineered with our patented injection mould, eliminating internal air pockets. The motor is a solid stainless steel unit, not a sleeved cover, ensuring moisture and condensation cannot enter.

This is a winch designed for the harshest conditions, where performance and reliability are non-negotiable.



STAINLESS STEEL MOTOR

Complete 316 Stainless Steel Motor



STAINLESS STEEL GEARBOX

Complete 316 Stainless Steel Gearbox






STAINLESS STEEL DRUM

Complete 316 Stainless Steel Drum

SSS MODEL SIZES

It's easy to determine which Drum Winch is required for your boat. The model is determined by the size of your boat. The Stainless Steel Series suits all boats up to 30m.

SKU	MODEL	WIDTH	HEIGHT	WEIGHT	MAX BOAT SIZE	INCLUDED ROPE KIT
6003	450	295mm	190mm	9.75kg	4.5m / 15ft	45m of 6mm Double Braid + 5m Chain
6004	880	315mm	210mm	10.5kg	5.2m / 17ft	65m of 6mm Double Braid + 6m Chain
6005	990	317mm	210mm	11.5kg	6m / 19ft	65m of 6mm Double Braid + 6m Chain
6008	1000	377mm	250mm	18.85kg	7m / 23ft	95m of 7mm Double Braid + 7m Chain
6012	1500	377mm	300mm	20.4kg	8m / 26ft	95m of 8mm Double Braid + 8m Chain
6016	2000	419mm	306mm	28.25kg	10m / 33ft	140m of 8mm Double Braid + 10m Chain
6018	3000	500mm	331mm	31.55kg	14m / 46ft	Custom
6019	4000	515mm	416mm	44.85kg	17m / 55ft	Custom
9112	6000	833mm	618mm	83.5kg	20m / 65ft	Custom
9117	7000	1235mm	721mm	150kg	30m / 100ft	Custom





Signature Series (SS)

PREMIUM RANGE

The Signature Series (SS) is our mid-range Drum Winch and features a complete stainless steel motor, designed locally and exclusively for Savwinch. Machined to fine tolerances and utilising O ring seals, the SS series motors are completely submersible without the use of sealants or glues. Water ingress or corrosion is no longer a concern.

SS SERIES FEATURES

The Signature Series is our most popular range, built for strength and long-term reliability. It features a 316 stainless steel motor and drum, paired with a double marine-grade powder-coated aluminium gearbox.

IP68 rated with our patented injection mould, the motor is a solid stainless steel unit with no sleeves, eliminating air pockets and preventing moisture or condensation from entering.

A sealed gasket between the stainless steel motor and aluminium gearbox removes the risk of electrolysis and corrosion. Proven in real conditions. Built to last.



STAINLESS STEEL MOTOR

Complete 316 Stainless Steel Motor



ALLOY GEARBOX

Double Marine Grade Powder Coated Aluminium Gearbox





STAINLESS STEEL DRUM

Complete 316 Stainless Steel Drum

SS MODEL SIZES

It's easy to determine which Drum Winch is required for your boat. The model is determined by the size of your boat. The Signature Series suits all boats up to 30m.

SKU	MODEL	WIDTH	HEIGHT	WEIGHT	MAX BOAT SIZE	INCLUDED ROPE KIT
5003	450	295mm	190mm	9.75kg	4.5m / 15ft	45m of 6mm Double Braid + 5m Chain
5004	880	315mm	210mm	10.5kg	5.2m / 17ft	65m of 6mm Double Braid + 6m Chain
5005	990	317mm	210mm	11.5kg	6m / 19ft	65m of 6mm Double Braid + 6m Chain
5008	1000	377mm	250mm	18.85kg	7m / 23ft	95m of 7mm Double Braid + 7m Chain
5012	1500	377mm	300mm	20.4kg	8m / 26ft	95m of 8mm Double Braid + 8m Chain
5016	2000	419mm	306mm	28.25kg	10m / 33ft	140m of 8mm Double Braid + 10m Chain
5018	3000	500mm	331mm	31.55kg	14m / 46ft	Custom
5019	4000	515mm	416mm	44.85kg	17m / 55ft	Custom
9012	6000	833mm	618mm	83.5kg	20m / 65ft	Custom
9017	7000	1235mm	721mm	150kg	30m / 100ft	Custom





Classic Series (CS)

STANDARD RANGE

The Classic Series (CS) is the industry standard level of Drum Winch and has been tested and proven for over a decade.

Machined to fine tolerances and utilising O ring seals, the CS series motors are completely submersible without the use of sealants or glues. You no longer need to be concerned about water ingress or corrosion.

CS SERIES FEATURES

The Classic Series is the industry standard level range, it features a double marine grade powder coated steel motor, double marine grade powder coated aluminium gearbox, and a 316 stainless steel drum.

As with all of our Winches, the classic series is IP68 rated and features a patented injection mould which fills all of the air pockets inside the motor.

The motor is a solid block steel motor (no covers/sleeves over the motor) which combined with the injection mould ensures no moisture or condensation can get inside the motor.



POWDER COATED STEEL MOTOR
Double Marine Grade Powder Coated Steel Motor



ALLOY GEARBOX
Double Marine Grade Powder Coated Aluminium Gearbox






STAINLESS STEEL DRUM
Complete 316 Stainless Steel Drum

CS MODEL SIZES

It's easy to determine which Drum Winch is required for your boat. The model is determined by the size of your boat. The Classic Series suits all boats up to 8m.

SKU	MODEL	WIDTH	HEIGHT	WEIGHT	MAX BOAT SIZE	INCLUDED ROPE KIT
4003	450	295mm	190mm	9.75kg	4.5m / 15ft	45m of 6mm Double Braid + 5m Chain
4004	880	315mm	210mm	10.5kg	5.2m / 17ft	65m of 6mm Double Braid + 6m Chain
4005	990	317mm	210mm	11.5kg	6m / 19ft	65m of 6mm Double Braid + 6m Chain
4008	1000	377mm	250mm	18.85kg	7m / 23ft	95m of 7mm Double Braid + 7m Chain
4012	1500	377mm	300mm	20.4kg	8m / 26ft	95m of 8mm Double Braid + 8m Chain





Commercial Series

TRUE FREE FALL SYSTEM

The Commercial Series is our only range of Drum Winches to feature a **true free fall system**.

While our smaller Winches can utilise our EFF Electronic Fast Fall System, the Commercial drum winches can freely drop the anchor, getting you to your mark as fast as the anchor can drop.

COMMERCIAL SERIES FEATURES

Our Commercial range of Drum Winches feature both a clutch and friction plate which releases from the drum and allows the drum to free spin/fall. This is proven to be the most simple and reliable commercial grade free fall system on the market.



STAINLESS STEEL MOTOR
Complete 316 Stainless Steel Motor






STAINLESS STEEL GEARBOX
Complete 316 Stainless Steel Gearbox



STAINLESS STEEL DRUM
Complete 316 Stainless Steel Drum

SKU	MODEL	WIDTH	HEIGHT	WEIGHT	MAX BOAT SIZE	INCLUDED ROPE KIT
9002	Commercial S	418mm	210mm	30kg	5-8m	Custom
9004	Commercial L	476mm	365mm	40kg	8-12m	Custom
9005	Commercial XL	550mm	415mm	50kg	9-14m	Custom
9006	Commercial XXL	625mm	465mm	60kg	12-17m	Custom





EXTRAS

Emergency Manual Release



SCAN TO WATCH
Open on your phone

All of our winch models feature an emergency release.

Using an allen key you can disengage the winch drum, this allows the winch to freely spin, meaning you can easily drop your anchor in an emergency.

You are also able to install a hand crank and wind the winch up in the case of battery failure. This feature can be life saving if you're in extreme waters or lose power.



EXTRAS

Electronic Fast Fall System



SCAN TO WATCH
Open on your phone

The world's first Electronic Fast Fall System increases the speed of the motor on the way down, almost as fast as you can freely drop your anchor.

Released in 2011, this award-winning patented design is clutch-free. Other winch brands go up just as fast as they go down. This draws more current, which can lead to overloads, battery drainage, winch failure, and damage to the bow of your boat.



EXTRAS

Injection Mould

To protect our IP68 motors, we use a patented injection mould that removes internal air pockets.

This prevents condensation from forming, a key cause of motor failure in harsh marine conditions.

The solid block casing, not a sleeved design, keeps moisture out and protects against internal corrosion.



BUILT TO FIT YOUR BOAT



SCAN TO WATCH
Open on your phone

Our Winch Package

Every Savwinch up to the 2000 model comes as a full kit. Everything you need for a standard install is in the box, ready to fit to your boat.

The standard kit includes:

Savwinch Drum Winch	Backing Plate & Bolts	Guide Roller	Up/Down Switch
			
Circuit Breaker	Anchor Swivel	Solenoid	Rope and Chain
			

Thousands of winches have been installed and now many reputable boat builders and large boating retailers are fitting and distributing Savwinch throughout Australia and the world. With a strong reputation for the highest quality and most durable winches on the market backed by excellence in customer service, we look forward to a bright future continuously evolving and developing with our customers in mind.

Hawse Pipes

If your boat doesn't have open access to the anchor well, a hawse pipe lets you mount your Drum Winch under the deck and run the rope cleanly through to the anchor.

We make two. One with a smaller opening and one with a wider opening, so you can match it to your rope and chain setup.

Both are machined from 316 stainless steel and shaped at a specific angle, which keeps friction to a minimum and takes almost all the load off the pipe itself.



Hawse Pipe - Large



Hawse Pipe - Small



Pot Haulers

THE CAPSTAN WINCH BUILT FOR THE LONG HAUL.

The Savwinch pot hauler takes the grunt out of a full day on the cray grounds.

All three models mount vertically under the deck and run off a footswitch, so both hands stay free to manage the line the whole time. The motors are IP68 sealed with double-bearing construction, which means they handle spray, salt and wash-down without complaint. Choose the 900PH for smaller boats and recreational use, step up to the 1100CS-PH for heavier work, or go the full stainless 1100SSS-PH if you're running offshore or commercially. Every model ships with a Savwinch footswitch and marine-grade circuit breaker included.



POT HAULER FEATURES

- Marine grade sealed motor, rated to IP68
- Double bearing construction for long service life
- Silent and smooth operation under load
- Fast line retrieval
- Oversized motor for extra torque and pulling power
- Available in full 316 stainless steel (SSS), powder coat with SS components (CS) or compact SS head (900PH)
- 316 stainless steel head on all models
- Installs vertically under the deck
- Maximum pull up to 220kg
- Footswitch included
- Marine grade circuit breaker included
- Nuts, bolts and mounting hardware included



CIRCUIT BREAKER



FOOTSWITCH



NUTS & BOLTS

SKU	MODEL	MOTOR	MAX PULL	WEIGHT	CONSTRUCTION	INCLUDED
6110	1100SSS-PH Capstan	1100W	220kg	11kg	Full SS316 stainless	Footswitch + Circuit Breaker
4110	1100CS-PH Capstan	1100W	220kg	8kg	Powder coat + SS head	Footswitch + Circuit Breaker
900PH	900PH Capstan	900W	185kg	6kg	SS316 head	Footswitch + Circuit Breaker

ALL MODELS: IP68 SEALED MOTOR, DOUBLE BEARING, LOW NOISE, VERTICAL UNDER-DECK INSTALLATION.



DIGITAL WINCH COUNTER



Digital Winch Counter

The Savwinch Drum Winch Digital Counter is an advanced monitoring system designed to take the guesswork out of anchoring. Easy to install and simple to operate, it provides precise real-time measurements to show exactly how much rope and chain you have deployed.

Featuring a smart "Auto Retrieve" function, this unit is the ultimate companion for your Drum Winch, ensuring a safer and more efficient experience on the water.

ADVANCED ANCHORING

- Auto retrieve function. Set your depth and the counter stops the winch exactly where you programmed it.
- Bright colour screen. Full-colour TFT display shows rope and chain deployed in metres. Readable in direct sunlight.
- Live voltage monitoring. Real-time battery voltage and charge percentage so you know your boat's electrical state while anchoring.
- Retro-fit friendly. Pre-loaded with all Savwinch drum sizes and compatible with any Drum Winch brand or model. No specialist install needed.
- Extreme temperature rated. Operates from -20°C to 60°C, built for real Australian marine conditions.



SKU	DIMENSIONS	WEIGHT	OUTPUT	POWER (LCD ON)	POWER (LCD OFF)	WORKING TEMP	STORAGE TEMP	DISPLAY	COMPATIBILITY	VOLTAGE
9620	80 x 70 x 22mm	120g	2A	<60mA @ 12V	<40mA @ 12V	-20°C to 60°C	-30°C to 70°C	HD Colour Screen	All Drum Winches	12V



SLIDER ANCHORS



Slider Anchors

Slider anchors (also called escape anchors) run a sliding ring along the shaft. If the anchor snags on the bottom, you drive over the top, slide the chain down the shaft, and pull it free. Built on the plough style design Savwinch owners already trust for holding power, with a sliding ring added for recovery. Strong hold when set, easy out when snagged.



Available in stainless steel or galvanised.



PATENTED
DESIGN



SCAN TO WATCH
Open on your phone



SKU		WEIGHT	BOAT SIZE	HEIGHT	LENGTH
Galvanised	Stainless				
7066	7067	4kg	Up to 5m	225mm	512mm
7062	7064	6kg	Up to 6m	274mm	592mm
7063	7065	7.5kg	Up to 7m	302mm	615mm
7077	7078	10kg	Up to 11m	340mm	692mm
7095	7094	16kg	Up to 14m	344mm	780mm
7096	7097	20kg	Up to 16m	362mm	841mm

ADD OUR SLIDER ANCHOR LOCK PIN (SKU 7069) TO ENSURE THE SLIDER ANCHOR FITS ANY BOWSPRIT.







Claw Slider Anchors

Our slider anchors are also available in a claw design, combining the proven holding power of a traditional claw with the added control of a sliding ring for easy retrieval and reliable holding in sand and silt.

Available in stainless steel or galvanised.

PATENTED
DESIGN



SKU		WEIGHT	BOAT SIZE	HEIGHT	LENGTH
Galvanised	Stainless				
7105	7106	5kg	Up to 5m	175mm	470mm
7079	7080	7.5kg	Up to 8m	200mm	540mm
7081	7082	10kg	Up to 12m	220mm	594mm
7115	7116	15kg	Up to 14m	249mm	668mm
7120	7121	20kg	Up to 18m	288mm	749mm

ADD OUR SLIDER ANCHOR LOCK PIN (SKU 7069) TO ENSURE THE SLIDER ANCHOR FITS ANY BOWSPRIT.






Fixed Shank Plough Anchors

The plough-style design and ballasted tip ensure that the anchor will self-launch with ease and set immediately, thanks to its self-righting geometry.


Available in both stainless steel and galvanised finish.



length



height



SKU		WEIGHT	BOAT SIZE	HEIGHT	LENGTH
Galvanised	Stainless				
7048	7054	10kg	Up to 12m	293mm	679mm
7083	7076	16kg	Up to 14m	344mm	801mm
7084	7091	20kg	Up to 16m	362mm	841mm
7085	7092	30kg	Up to 19m	425mm	960mm
7086	7093	40kg	Up to 20m	475mm	1077mm
7090	9098	63kg	Up to 27m	532mm	1214mm



Deck Wash Pump

WORLD’S FIRST
STAINLESS STEEL

The Savwinch Deck Wash Pump is the world's first 316 stainless steel deck wash pump. Built to handle the salt water, spray and sun that corrodes standard fittings, it puts out strong consistent pressure for a proper wash-down every time you're back at the ramp.

The full stainless build means no rust, no corrosion and reliable output trip after trip.



DECK WASH PUMP FEATURES

STAINLESS STEEL HOUSING

Resists corrosion and rust in saltwater conditions

PATENTED MOTOR

Patented motor design for consistent power, efficiency and long-term reliability

HIGH PRESSURE PERFORMANCE

5.2GPM / 20LPM with 70psi for a proper clean

AUTO PRESSURE SWITCH

Starts on demand when you pull the trigger

MARINE READY (IPX6 RATED)

Handles spray, splash and real-world conditions



Includes Fittings and Accessories:

- 5.2 DWP-SS Pump Unit (316 Stainless Steel)
- Strainer (inline filtration)
- Multiple fitting sizes
- Retaining clips
- Trigger hose gun
- Rubber dampening feet
- Inline fuse and circuit breaker



SKU	FLOW RATE	PRESSURE	CONSTRUCTION	MOTOR	RATING	VOLTAGE	WATER	MOUNTING
5115	5.2 GPM (19.7 LPM)	70 PSI	Full 316 Stainless Steel	IP68 Sealed	IPX6 Marine	12V DC	Fresh + Salt	Horizontal or Vertical

Bowsprits

We offer a range of bowsprits and bow rollers to suit most boats. The Classic range is our standard, available in thin, small, and large. The Small suits boats up to 8 metres, while the Large suits boats over 8 metres. The Thin features a 60 mm mounting width for aluminium boats with a narrow bow opening. The Classic provides a reliable anchoring solution, while the Signature features a triple-roller design for smoother, more controlled deployment and retrieval.



SCAN TO WATCH
Open on your phone

The Swivel Arm Bowsprit is a self-deploying option that drops the anchor as soon as the winch is released. Available in small and large.

Signature Bowsprit SS 316 Stainless Steel	Swivel Arm Bowsprit SS 316 Stainless Steel	Classic Bowsprit SS 316 Stainless Steel
		
Classic Bowsprit Alloy	Classic Thin Bowsprit (Short) SS 316 Stainless Steel	Classic Thin Bowsprit SS 316 Stainless Steel
		

Signature Bowsprit Range

SKU	BOWSPRIT	DIMENSIONS
7022	SS Signature Bowsprit Short	78 x 302mm
7023	SS Signature Bowsprit Small	78 x 430mm
7024	SS Signature Bowsprit Long	78 x 572mm

316 stainless steel. Bolts and nuts sold separately.

Swivel Arm Bowsprit Range

SKU	BOWSPRIT	DIMENSIONS
7026	SS Swivel Arm Bowsprit Small	75 x 400mm
7025	SS Swivel Arm Bowsprit Large	75 x 570mm
7027	SS Swivel Arm Bowsprit Extra Large	122 x 885mm

316 stainless steel. Bolts and nuts sold separately.

Classic Bowsprit Range

SKU	BOWSPRIT	DIMENSIONS
7030	SS Classic Thin Bowsprit	60 x 429mm
7130	SS Classic Thin Bowsprit (Short)	60 x 330mm
7031A	Alloy Classic Small Bowsprit	75 x 429mm
7032	SS Classic Large Bowsprit	87 x 540mm
7131	SS Classic XL Bowsprit	114 x 540mm

316 stainless steel, except 7031A which is aluminium. Bolts and nuts sold separately.

ADD OUR BOWSPRIT HARDWARE TO EASILY INSTALL YOUR BOWSPRIT ON ANY BOAT.



Winch Haulers

SOLID BLOCK PATENTED IP68 RATED MOTORS

The Savwinch Winch Hauler is built for the jobs that put real load on your gear. An IP68 sealed motor and high-torque worm drive gearbox give you up to 4 tonnes of controlled pulling power, whether you're launching off a steep ramp, lifting a tender or running a davit. Precision control means you can place a load exactly where it needs to go without fighting the weight. Available in CS, SS and SSS finishes to suit everything from a sheltered trailer setup to open-water offshore conditions.

Applications include trailer launching, winching, hauling, lifting, and tender or davit work.



INCLUDED WITH ALL SAVWINCH WINCH HAULERS:

Circuit Breaker	Up/Down Switch	Solenoid	HMPE Rope with SS Thimble
			

Boat Trailer Specifications

MODEL	WATTS	MAX BOAT SIZE	PULLING WEIGHT	SPEED	HOLDING TORQUE	ROPE
1500WH	700w 12v	5.5m / 18ft	1 Tonne	12 m/M	2.8 Tonne	8m of 6mm HMPE
2000WH	900w 12v	7m / 23ft	2 Tonne	12 m/M	2.8 Tonne	8m of 6mm HMPE
3000WH	1300w 12v	9m / 30ft	3.5 Tonne	12 m/M	2.8 Tonne	8m of 8mm HMPE
4000WH	1300w 12v	12m / 40ft	5 Tonne	12 m/M	7 Tonne	10m of 10mm HMPE
4000WH	2700w 24v	15m / 50ft	10 Tonne	12 m/M	7 Tonne	12m of 10mm HMPE

Dead Lift / Davit Specifications

MODEL	WATTS	DEAD LIFT	SPEED	HOLDING TORQUE	ROPE
1500WH	700w 12v	208kg	12 m/M	2.8 Tonne	8m of 6mm HMPE
2000WH	900w 12v	356kg	12 m/M	2.8 Tonne	8m of 6mm HMPE
3000WH	1300w 12v	560kg	12 m/M	2.8 Tonne	8m of 8mm HMPE
4000WH	1300w 12v	580kg	12 m/M	7 Tonne	10m of 10mm HMPE
4000WH	2700w 24v	600kg	12 m/M	7 Tonne	12m of 10mm HMPE

TRAILER WINCHES REQUIRE ROLLERS OR SKIDS ON THE TRAILER. NOT DESIGNED FOR PULLING FROM GROUND SURFACES.

HARDWARE, FITTINGS AND DECK COMPONENTS

Every Savwinch ships with a Winch Accessories Kit containing the core components needed for a standard installation. Over time though, certain parts wear with use, and some setups call for heavier duty gear than the standard inclusions. This page covers the full range of replacement and upgrade components we stock, from ropes and chains to wiring looms, cable guards, motor support blocks, snubber hooks and wireless remotes.

Whether you're refreshing worn hardware, swapping in a longer rope for added capacity, or fitting out a second vehicle, you'll find the right parts here to keep your Savwinch performing at its best.



HMPE Rope and Chain

HMPE rope and chain kit for all Savwinch Drum Winches.

A wide range of options are available depending on your requirements.



Wiring Loom Kit

Pre-made wiring harnesses for clean, reliable installation. Colour-coded and labelled. Available in 4m, 7m, and 10m lengths to suit any boat configuration.



Chain Guard/Sock

Protective sleeve fitted over the first section of anchor chain. Prevents scratching to your bowsprit, bow roller, or gelcoat. Black UV-resistant material. Easy to fit - no tools needed.



Motor Support Block

Wedges underneath the outboard motor during trailering to prevent movement and potential damage. Universal fit for most outboard motors. No tools required.



Snubber Hooks

Relieves winch tension and prevents anchor chain noise during overnight mooring. Transfers load from winch to deck cleat via a stretch line. Available in 6-8mm and 8-10mm chain sizes.



Wireless Remote Control

Operate your winch from anywhere on the boat. Dual-button up/down control with weatherproof transmitter. Range up to 30 metres.



Rope & Chain Kits

BUILT TO IMPROVE PERFORMANCE

Savwinch rope and chain kits are purpose-built to maximise drum capacity while maintaining strength, reliability, and smooth operation.

Each kit is pre-configured to suit specific winch models, ensuring optimal performance without overfilling the drum.

Rope Selection Guide

Your anchor rope is the critical link between your boat and the seabed. Savwinch offers three rope types to suit every application.

Double Braid (8mm, 10mm, 12mm)

Our standard rope, Included with all Savwinch winch packages. Double braid is constructed with an inner core wrapped by a braided outer jacket, giving it excellent handling and reliable strength. It is a proven all-rounder for anchoring in Australian waters and the right choice for most recreational boaters.

HMPE - High Modulus Polyethylene (4mm - 20mm)

The premium upgrade. HMPE is significantly stronger and lighter than Double Braid at the same diameter, with near-zero stretch and outstanding UV and abrasion resistance. It lasts longer, packs tighter on the drum, and is easier to handle. If you anchor frequently, fish offshore, or simply want the best rope money can buy, HMPE is the upgrade worth making.

Nylon (10mm, 12mm, 14mm, 20mm)

Nylon's natural stretch makes it ideal as a snubber line or mooring line, where shock absorption protects your hardware and cleats from sudden loads. It is not typically used as a primary anchor rode on a Drum Winch, but every serious boater should carry nylon for mooring and snubbing.

Rope Splicing

A splice is a permanent join woven directly into the rope fibres, creating a seamless connection between your rope and chain. Unlike knots, a splice retains close to the full rated strength of the rope and passes smoothly over the bow roller and onto the drum without snagging. All Savwinch rope kits come pre-spliced and ready to install. Professional splicing service available (SKU 5113).

Chain Selection Guide

All Savwinch Drum Winches are designed for short-link chain, which sits flat and stacks neatly on the drum without jamming. Standard long-link or proof chain will not spool correctly. Always use short-link.

Galvanised chain is the standard choice: strong, economical, and well-suited to most conditions. Stainless steel is the pick for boats where appearance matters or where the chain is permanently exposed to saltwater spray.



Made for Life on the Water

SAVWINCH BRANDED GEAR

Quality branded gear for Savwinch owners and enthusiasts.

All merchandise is available for purchase directly from Savwinch or through authorised dealers.



Savwinch Sunglasses (Black / Brown)

Clean black frame with your choice of polarised black or brown lenses.
Cuts glare.
Full UV400 protection.

Comes with carry bag, microfibre cloth, and certification tag.
Complies with AS/NZS 1067:2003.



Savwinch Mirrored Sunglasses (Blue)

Blue mirrored polarised lenses built for harsh light on open water. Cuts glare without losing clarity. Full UV400 protection. Floats in water to help prevent loss at sea.

Includes carry bag, microfibre cloth, and certification tag.
Complies with AS/NZS 1067:2003.



Savwinch Logo Hat

Structured premium cap with embroidered Savwinch logo.
Adjustable snapback for a secure fit.



OUR HEADQUARTERS

SAVWINCH SHOWROOM AND FACTORY | MELBOURNE

4-5/72-74 Lambeck Drive
Tullamarine, VIC 3043
Australia
+61 (03) 8361 8841

SAVWINCH SHOWROOM AND FACTORY | GOLD COAST

Unit 1/33 Kristins Lane
Upper Coomera, QLD 4209
Australia
+61 426 175 204

Visits by appointment only.





CONNECT WITH US

@savwinch



Australian Designed, Owned & Engineered

SAVWINCH PTY LTD | Proudly engineering marine equipment since 2008.

